
Carrizo Mtns
Boyd
Farmington
Tocito Dome
Chuska Mtns
Chaco Canyon
Nose Rock
Church Rock
Smith Lake
Ambrosia Lake
Marquez
Zuni Mtns
Laguna
Bernabe Montaño
Romero Ranch
Red Basin-Pietown
Hooks Ranch
Ladron Mtns
Scholle
Rayo
Socorro
Cat Mtn
Council Rock
Hop Canyon
Rosedale
Chupadera Mtns
Ojo Caliente No. 2
San Jose
Fra Cristobal
Mogollon
Wilcox
Chloride
Cuchillo
Engle
Kingston
Caballo Mtns
Rincon
Steeple Rock
Carpenter
Burro Mtns
White Signal
Cooks Peak
Old Hadley
Tonuco Mtn
Lordsburg Mesa
Bound Ranch
Victorio
San Simon
Eureka
Tres Hermanas
Carrizalillo
Fremont
Antelope Wells-Dog Mtns
Organ Mtns
Orogrande
Lone Eagle
Cornudas Mtns
Salinas Peak
Tularosa
Bent
Sacramento
Nogal
Capitan
Estey
Ancho
Jicarilla
White Oaks
Gallinas Mtns
Estancia salt lake
Pedernal Hills
Lobo Hill
Tijeras Canyon
Placitas
Cerrillos
Santa Fe
Picuris
Nambe
San Jose
Coyote
Mesa Portales
Cuba
Gallina
Manganese
Abiquiu
Bromide No. 2
Petaca
Ojo Caliente No. 1
La Cueva
Red River
Elizabethtown
Laughlin Peak
Coyote Creek
Mora
Rociada
El Porvenir
Elk Mtn
Tecolote
Tecolote
Sabinoso
Bueyeros
Polita No. 2
Gallegos
Logan
Tucumcari
Santa Rosa
Pastura
Red Peak
Peacock Canyon
Black Mesa
Northeast Union County
1 San Lorenzo
2 Joyita Hills
3 Lemitar Mtns
4 Chupadero
5 Schelerville
6 San Mateo Mtns
7 Hot Springs
8 Ricolite
9 Telegraph
10 Gold Hill
11 Malone
12 Fierro-Hanover
13 Central
14 Santa Rita
Area underlain by favorable Morrison Formattion (Jurassic), depth less than 5,000 ft
Area underlain by Ogalla Formation (Tertiary)
0 43 86 172 Km
Sandstone and limestone uranium deposits
Copper-silver (±uranium) vein deposits
Beach placer sandstone uranium deposits
REE-Th-U vein deposits
Sedimentary copper deposits
Surfical uranium deposits
Volcanic-epithermal vein, volcanogenic uranium deposits
Other types of uranium deposits